


APPENDIX III



Nested clade design for NCA of *Leptodactylus fuscus* mtDNA haplotypes based on the unweighted MP tree (Fig.). Haplotypes are labeled with the sample names in 1-step clades. Zeroes indicate inferred intermediate (unobserved) haplotypes and bars connecting zeroes are mutational steps. Nesting clades are labeled with two numbers: the first number indicates the nesting level the other number identifies that particular clade among all nesting clades at that level.




1- STEP CLADES
Major Clade C (cont.)


1-273 **JVG**

- 1-272
- 1-271
- 1-270
- 1-269
- 1-268
- 1-267
- 1-266
- 1-265
- 1-264
- 1-263
- 1-262
- 1-261
- 1-260
- 1-259
- 1-258
- 1-257
- 1-256
- 1-255
- 1-254
- 1-253
- 1-252
- 1-251
- 1-250
- 1-249
- 1-248
- 1-247
- 1-246
- 1-245
- 1-244
- 1-243
- 1-242
- 1-241
- 1-240
- 1-239
- 1-238
- 1-237
- 1-274
- 1-275
- 1-276
- 1-277
- 1-278
- 1-279
- 1-280
- 1-281
- 1-282
- 1-283
- 1-284
- 1-286
- 1-285




1- STEP CLADES
Major Clade B





2- STEP CLADES



3- STEP CLADES

